

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S85	1	(inactiv\$5 and auto\$1sens\$3).clm.	US-PGPUB	OR	OFF	2007/06/06 17:02
S84	1	((communication\$1 same block\$3 same inactiv\$5) and auto\$1sens\$3).clm.	US-PGPUB	OR	OFF	2007/06/06 17:02
S83	18	((network\$3 or communication\$1) same block\$3 same inactiv\$5).clm.	US-PGPUB	OR	OFF	2007/06/06 17:01
S82	3	(network\$3 with block\$3 with inactiv\$5).clm.	US-PGPUB	OR	OFF	2007/06/06 16:58

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S81	25	S80 and sbc.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 16:54
S80	41	Gonsalves.in. and Brian.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 16:53
S79	58	S74 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 16:51
S78	2136	(ethernet) and (in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/06/06 16:51
S77	59	S74 and S76	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/06/06 16:50
S76	1641	router and (user with (idle or inactiv\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/06/06 16:50
S75	878	router and (user with idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/06/06 16:50
S74	9858	726/26-30.CCLS. OR 726/3-6.CCLS. OR 713/168-170.CCLS. OR 713/151-154.CCLS. OR 726/11-15.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 16:49

EAST Search History

S73	20	S72 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:49
S72	6490	S68 or S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:49
S71	437	S70 and ((disabl\$3 or block\$3) with (communication\$1 or traffic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:48
S70	2071	(user\$1 or port\$1 or computer\$1) with inactivit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:48
S69	1000	713/151-154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:45
S68	5751	726/1-7.ccls. or 726/11-15.ccls. or 726/23-30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:44
S67	4	S63 and S60 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:45
S66	2	S63 and S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:44

EAST Search History

S65	2	S56 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:43
S64	415	S63 and siemens.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:43
S63	3910	shaffer.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:42
S62	131	S57 same S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:24
S61	2784	S57 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:24
S60	25024	(inactiv\$3 or idle) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:24
S56	721	user with (inactiv\$3 or idle) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:23
S58	163	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:17

EAST Search History

S59	3	S56 same S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:13
S57	157081	(disabl\$3 or block\$3) with (communication\$1 or traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:13
S53	435	S47 and ((disabl\$3 or block\$3) with (communication\$1 or traffic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:12
S55	4	S54 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:08
S54	77	S53 and (WAN with LAN\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:13
S50	81	S48 and (WAN with LAN\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:13
S48	457	S47 and ((disabl\$3 or block\$3 or stop\$4) with (communication\$1 or traffic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:13
S52	7	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:08

EAST Search History

S51	108179	security.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:08
S49	94	S48 and (WAN\$1 with LAN\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:07
S47	2062	(user\$1 or port\$1 or computer\$1) with inactivit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:01
S46	236	726/6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
S45	1104	726/4.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
S44	298	726/3.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
S43	180	726/11.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:07
S42	16	(inactivity with (user\$1 adj configur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:02

EAST Search History

S41	0	(inactivity with (end adj user\$1 adj configur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 10:39
S39	8	S36 same configur\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:45
S38	0	S36 same programmable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:44
S37	11	S36 and programmable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:44
S36	14	(ethernet with in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:43
S35	14	(ethernet with in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:06
S34	0	(ethernet near3 in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:06
S33	0	(ethernet near3 inactivity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:05
S32	0	(ethernet near3 inactivity) same (blocking or relea\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:05
S31	17	S30 not S29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:29
S30	30	router same ((blocking or stop\$3) adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:29

EAST Search History

S29	13	router same (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:28
S28	0	router same (blocking adj (data or traffic)) same (idle or inactivity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:24
S27	0	router same (blocking adj (data or traffic)) same (idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:22
S26	0	router same ((idle) same (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:22
S25	1	router same ((idle) and (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:21
S24	0	router same ((user near3 idle) and (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:20
S23	0	router same (user with idle) and (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:19
S22	6	router and (user with idle) and (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:19
S21	65	router and (user with idle) and (block\$3 adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:16
S19	454	router and (user with idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:15
S20	14	router same(user with idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:11
S18	66	S17 and (idle adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:10

EAST Search History

S17	1105	(ethernet) and (in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:01
S16	66	S14 and (idle adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S15	501	S14 and idle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S14	1105	(ethernet) and (in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S8	6	S3 and S7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:26
S12	28	Ethernet with (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:25
S13	2	Ethernet adj2 (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:18
S11	44	Ethernet same (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S10	0	Ethernet adj (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S9	0	Ethernet adj (autosens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S7	1967	(DSL) and (authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:02
S6	14	S3 and (sens\$3 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:01

EAST Search History

S5	2	S3 and (activity with detect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:27
S4	0	S3 and (auto adj sensing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:26
S3	17	"6631436".pn. "6631120".pn. or "6614781".pn. or "6594695".pn. or "6636505".pn. or "6584502".pn. or "6560222".pn. or "6559769".pn. or "6553489".pn. or "6526581".pn. or "6510152".pn. or "6498791".pn. or "6477579".pn. or "6445682".pn. or "6389464".pn. or "6351452".pn. or "6272127".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:25
S2	17	"6631436".pn. "6631120".pn. or "6614781".pn. or "6594695".pn. or "6636505".pn. or "6584502".pn. or "6560222".pn. or "6559769".pn. or "6553489".pn. or "6526581".pn. or "6510152".pn. or "6498791".pn. or "6477579".pn. or "6445682".pn. or "6389464".pn. or "6351452".pn. or "6272127".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:25